



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/683,417	12/24/2001	Denis J. Stemmle	F-428	2989
919	7590	10/31/2006	EXAMINER	
PITNEY BOWES INC. 35 WATERVIEW DRIVE P.O. BOX 3000 MSC 26-22 SHELTON, CT 06484-8000			MILLER, WILLIAM L	
			ART UNIT	PAPER NUMBER
			3677	
DATE MAILED: 10/31/2006				

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

09 683 417

EXAMINER

ART UNIT PAPER

20061026

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

See attached Notice of Non-Responsive Amendment (37 CFR 1.111).

William L. Miller
Primary Examiner
Art Unit: 3677

Response to Amendment

1. The reply filed on 08-11-2006 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): Regarding new independent claim 42, the applicant states “Applicant respectfully submits that new claims 40-42 are patentable over the cited art for at least the same reasons.” This statement is insufficient per 37 CFR 1.111 as the reply must present arguments pointing out the specific distinctions believed to render the claims, including any newly presented claims, patentable over any applied references. A general allegation that the claims define a patentable invention without specifically pointing out how the language of the claims patentably distinguishes them from the references does not comply with the requirements of this section. Moreover, the “at least the same reasons” which the applicant is referring to are unclear. The start signal generation being restricted to the mail carrier having the key, the divider material being at least partially transparent to UV radiation, and the communicating to the recipient of the mail represent three previously stated reasons for allowance by the applicant. However, none of these reasons are recited or required in new claim 42.

2. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment.
EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William L. Miller whose telephone number is (571) 272-7068. The examiner can normally be reached on Tuesday-Thursday.

Art Unit: 3677

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, J. J. Swann can be reached on (571) 272-7075. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

William L. Miller
Primary Examiner
Art Unit 3677

WLM

A handwritten signature in black ink, appearing to read "WILLIAM L. MILLER".